

Contents

Volume 37, Number 1, 25 January 2006

Original articles

- 1 An evaluation of the role and impacts of alien finfish in Asian inland aquaculture
S S De Silva, T T T Nguyen, N W Abery and U S Amarasinghe
- 18 Development of two cell culture systems from Asian seabass *Lates calcarifer* (Bloch)
W S Lakra, N Sivakumar, M Goswami and R R Bhonde
- 25 Influence of insoluble dietary cellulose on digestive enzyme activity, feed digestibility and survival in the red claw crayfish, *Cherax quadricarinatus* (von Martens)
A Pavasovic, N A Richardson, P B Mather and A J Anderson
- 33 Cage culture of sutchi catfish, *Pangasius sutchi* (Fowler 1937): effects of stocking density on growth, survival, yield and farm profitability
M M Rahman, M S Islam, G C Halder and M Tanaka
- 40 Partial and total replacement of fishmeal with poultry by-product meal in diets for gibel carp, *Carassius auratus gibelio* Bloch
Y Yang, S Xie, Y Cui, X Zhu, W Lei and Y Yang
- 49 Intra- and interspecific phenotypic characteristics of fish-pathogenic *Edwardsiella ictaluri* and *E. tarda*
V S Panangala, C A Shoemaker, S T McNulty, C R Arias and P H Klesius
- 61 Electrical stunning followed by decapitation or chilling of African catfish (*Clarias gariepinus*): assessment of behavioural and neural parameters and product quality
B Lambooi, K Kloosterboer, M A Gerritzen, G André, M Veldman and H Van De Vis
- 71 Effects of triploidy on feed efficiency, morphometric indexes and chemical composition of shi drum, *Umbrina cirrosa* L.
S Segato, D Bertotto, L Fasolato, A Francescon, A Barbaro and A Corato
- 78 Interference of *Listonella anguillarum* with potential probiotic microorganisms isolated from farmed gilthead seabream (*Sparus aurata*, L.)
M Chabrilón, S Arijó, P Díaz-Rosales, M C Balebona and M A Moriñigo
- 87 Effects of rearing density on growth, brain neurotransmitters and liver fatty acid composition of juvenile white sea bream *Diplodus sargus* L.
S E Papoutsoglou, N Karakatsouli, G Pizzonia, C Dalla, A Polissidis and Z Papadopoulou-Daifoti
- 96 Changing of fat content and fatty acid profile of reared pike (*Esox lucius*) fed two different diets
B Kucska, L Pál, T Müller, M Bódis, Á Bartos, L Wágner, F Husvéth and M Bercsényi

Short communications

- 102 Effects of different levels of fish protein hydrolysate in the diet on the nonspecific immunity of Japanese sea bass, *Lateolabrax japonicus* (Cuvieret Valenciennes, 1828)
M Liang, J Wang, Q Chang and K Mai
- 107 Effect of dietary protein and lipid levels on feed intake and growth performance of southern catfish, *Silurus meridionalis* Chen
S-J Fu and Z-D Cao

Book review

- 111 A New Key to the Freshwater Bryozoans of Britain, Ireland and Continental Europe
M C M Beveridge

Volume 37, Number 2, 7 February 2006

Original articles

- 113 Effects of single and combined microalgae on larval growth, development and survival of the commercial sea cucumber *Holothuria spinifera* Theel
P S Asha and P Muthiah
- 119 Determination of physical behaviour of feed pellets in Mediterranean water
P Vassallo, A M Doglioli, F Rinaldi and I Beiso

- 127 Influence of β -hydroxy- β -methylbutyrate on nonspecific humoral defense mechanisms and protection against furunculosis in pikeperch (*Sander lucioperca*)
A K Siwicki, Z Zakeš, J C Fuller Jr, S Nissen, S Trapkowska, E Głabski, A Kowalska, K Kazuń and E Terech-Majewska
- 132 Effects of addition of a bird repellent to fish diets on their growth and bioaccumulation
S Harpaz and L Clark
- 139 Effect of temperature on sex ratio in guppy *Poecilia reticulata* (Peters 1860)
İ Karayücel, O Ak and S Karayücel
- 151 Exploring the trophic structure in organically fertilized and feed-driven tilapia culture environments using multivariate analyses
P N Muendo, A Milstein, A A van Dam, E-N Gamal, J J Stoorvogel and M C J Verdegem
- 164 A new approach to kelp mariculture in Chile: production of free-floating sporophyte seedlings from gametophyte cultures of *Lessonia trabeculata* and *Macrocystis pyrifera*
R Westermeier, D Patiño, M Ines Piel, I Maier and D G Mueller
- 172 Comparative study of growth performance of three strains of Nile tilapia, *Oreochromis niloticus*, L. at two stocking densities
M T Ridha
- 180 Efficacy of an equal blend of canola oil and poultry fat as an alternate dietary lipid source for Atlantic salmon (*Salmo salar* L.) in sea water. I: effects on growth performance, and whole body and fillet proximate and lipid composition
D A Higgs, S K Balfry, J D Oakes, M Rowshandeli, B J Skura and G Deacon
- 192 Efficacy of an equal blend of canola oil and poultry fat as an alternate dietary lipid source for Atlantic salmon (*Salmo salar* L.) in seawater. II: effects on haematology and immunocompetence
S K Balfry, J Oakes, M Rowshandeli, G Deacon, B J Skura and D A Higgs

Short communications

- 200 Production of monosex male guppy, *Poecilia reticulata*, by 17 α -methyltestosterone
F Turan, Ş Çek and E Atik
- 204 Bacteria or commercial diet: the preferences of *Litopenaeus vannamei*
O Schneider, T Le Cong, V Sereti, J W Schrama, E H Eding and J A J Verreth

Volume 37, Number 3, 15 February 2006

Original articles

- 209 Low-density silver carp *Hypophthalmichthys molitrix* (Valenciennes) polyculture does not prevent cyanobacterial off-flavours in channel catfish *Ictalurus punctatus* (Rafinesque)
C S Tucker
- 215 Sperm motility in the steelhead *Oncorhynchus mykiss* (Walbaum): influence of the composition of the incubation and activation media
J Woolsey, M Holcomb, J G Cloud and R L Ingermann
- 224 Effects of crushed conspecifics on growth and survival of *Penaeus monodon* Fabricius post larvae
B T Nga, M Lüring, E Peeters, R Roijackers, M Scheffer and T T Nghia
- 233 Allozyme variation of hatchery and river populations of rohu (*Labeo rohita*, Hamilton) in Bangladesh
Md. M R Khan, M S Alam and M M H Bhuiyan
- 241 The potential of mixed culture of genetically improved farmed tilapia (*Oreochromis niloticus*) and freshwater giant prawn (*Macrobrachium rosenbergii*) in periphyton-based systems
S Uddin, M Ekram-Ul-Azim, A Wahab and M C J Verdegem
- 248 Reaction of common carp (*Cyprinus carpio*, L.) to oxygen deficiency in winter as an example for the suitability of radio telemetry for monitoring the reaction of fish to stress factors in pond aquaculture
C Bauer and G Schlott
- 255 Growth performance and body composition of white seabream (*Diplodus sargus*) juveniles fed diets with different protein and lipid levels
R O A Ozorio, L M P Valente, P Pousao-Ferreira and A Oliva-Teles
- 264 Artificial spawning of female Lithuanian strain B carp (*Cyprinus carpio* L.) after treatment with carp pituitary homogenate, Ovopel or [D-Tle⁶, ProNHEt⁹] GnRH-a (Lecirelin)
E Brzuska

- 272 Comparative utility of egg blastomere morphology and lipid biochemistry for prediction of hatching success in Atlantic cod, *Gadus morhua* L.
R W Penney, P L Lush, J Wade, J A Brown, C C Parrish and M P M Burton
- 284 Non-gelatinized corn supplemented with α -amylase at sub-optimum protein level enhances the growth of *Labeo rohita* (Hamilton) fingerlings
S Kumar, N P Sahu, A K Pal, D Choudhury and S C Mukherjee
- 293 Effect of partial and total replacement of fish, shrimp head, and soybean meals with red crab meal *Pleuroncodes planipes* (Stimpson) on growth of white shrimp *Litopenaeus vannamei* (Boone)
H Villarreal, R Civera-Cerecedo and A Hernandez-llamas

Short communications

- 299 Detection of off-flavour in channel catfish (*Ictalurus punctatus* Rafinesque) filets by trained dogs
R A Shelby, L J Myers, K K Schrader and P H Klesius
- 302 Gonadal development in hybrids of Mediterranean sparids: *Sparus aurata* (female) \times *Pagrus pagrus* (male)
M Pavlidis, L Kokokiris, M Paspatis, S Somarakis, M Kentouri and P Divanach
- 306 Does malpigmentation improve growth in juvenile turbot (*Scophthalmus maximus* Rafinesque) and halibut (*Hippoglossus hippoglossus* L.)?
A K Imsland, T Wergeland, T M Jonassen and S O Stefansson
- 313 Compensatory growth of group-held gibel carp, *Carassius auratus gibelio* (Bloch), following feed deprivation
Z H Cui, Y Wang and J G Qin

Volume 37, Number 4, 1 March 2006

Review article

- 319 Selective breeding for the hybrid striped bass (*Morone chrysops*, Rafinesque \times *M. saxatilis*, Walbaum) industry: status and perspectives
A F Garber and C V Sullivan

Original articles

- 339 A comparison of three land-based containment systems for use in culturing green sea urchins, *Strongylocentrotus droebachiensis* (Müller) (Echinodermata: Echinoidea)
T L Daggett, C M Pearce and S M C Robinson
- 351 Vibrios associated with *Macrobrachium rosenbergii* (De Man, 1879) larvae from three hatcheries on the Indian southwest coast
N S Jayaprakash, V J R Kumar, R Philip and I S B Singh
- 359 Apparent digestibility of some nutrient sources by juvenile mud crab, *Scylla serrata* (Forsk. 1775)
V-a Tuan, A Anderson, J Luong-van, C Shelley and G Allan
- 366 Effects of dietary supplementation with feeding stimulants on yellowtail *Seriola quinqueradiata* (Temminck & Schlegel; Carangidae) protein digestion at low water temperatures
P Y Morimoto Kofuji, H Hosokawa and T Masumoto
- 374 Production of interploid triploids by $4n \times 2n$ blunt snout bream (*Megalobrama amblycephala*, Yih) and their first performance data
S-F Li, S-M Zou, W-Q Cai and H-Y Yang
- 380 Characterization of cellulase-producing bacteria from the digestive tract of tilapia, *Oreochromis mossambica* (Peters) and grass carp, *Ctenopharyngodon idella* (Valenciennes)
S Saha, R N Roy, S K Sen and A K Ray
- 389 Comparison of food selection and growth performance of koi carp, *Cyprinus carpio* L., and goldfish, *Carassius auratus* (L.) in mono- and polyculture rearing in tropical ponds
P Jha, K Sarkar and S Barat
- 398 Effects of temperature, stocking density and diet on the growth and survival of juvenile *Mithraculus forceps* (A. Milne Edwards, 1875) (Decapoda: Brachyura: Majidae)
G Penha-Lopes, A L Rhyne, J Lin and L Narciso
- 409 Effects of repeated handling, with or without anaesthesia, on feed intake and growth in juvenile rainbow trout, *Oncorhynchus mykiss* (Walbaum)
P Hoskonen and J Pirhonen

Short communications

- 416 Influence of dietary protein levels on growth and egg quality in broodstock female bagrid catfish (*Mystus nemurus* Cuv. & Val.)
M Z Abidin, R Hashim and A C Shu Chien
- 419 Mouth and fin deformities in common carp: is there a genetic basis?
M Kocour, O Linhart and M Vandeputte
- 423 Induced spawning in common sole (*Solea solea* L.)
D Bertotto, J Barbaro, A Francescon, J Richard, A Libertini and A Barbaro

Book review

- 428 Selection and Breeding Programs in Aquaculture
K Overturf

Volume 37, Number 5, 22 March 2006

Original articles

- 431 Effects of 7,12-dimethylbenz(a)anthracene on growth and haematological parameters in Korean rockfish, *Sebastes schlegelii* (Hilgendorf)
J-H Jee, K Ha Park, Y-H Keum and J-C Kang
- 443 Case study on eye abnormalities in tank-reared hybrid walleyes (*Sander vitreus* × *S. canadensis*)
M Ann Garcia-Abiado, M Penn and K Dabrowski
- 449 Heterogeneity of sediments and settling particles in aerated ponds
J Kassila and J Hussenot
- 466 Evaluation of growth and dressing out parameters of experimental scaly crossbreds in 3-year-old common carp (*Cyprinus carpio*, Linnaeus 1758)
H Buchtová, Z Svobodová, M Kocour and J Velišek
- 472 Secondary stress responses in Indian major carps *Labeo rohita* (Hamilton), *Catla catla* (Hamilton) and *Cirrhinus mrigala* (Hamilton) fry to increasing packing densities
N Chatterjee, A K Pal, T Das, M S Mohammed, K Sarma, G Venkateshwara and S C Mukherjee
- 477 Effects of partial and complete replacement of freshwater shrimp meal (*Caridinea niloticus* Roux) with a mixture of plant protein sources on growth performance of Nile tilapia (*Oreochromis niloticus* L.) in fertilized ponds
D M Liti, H Waidbacher, M Straif, R K Mbaluka, J M Munguti and M M Kyenze
- 484 Gonadal development, aromatase activity and P450 aromatase gene expression during sex inversion of protogynous red-spotted grouper *Epinephelus akaara* (Temminck and Schlegel) after implantation of the aromatase inhibitor, fadrozole
G-L Li, X-C Liu, Y Zhang and H-R Lin
- 492 *Litopenaeus vannamei* (Boone) post-larval survival related to age, temperature, pH and ammonium concentration
F J Magallón Barajas, R Servín Villegas, G Portillo Clark and B López Moreno
- 500 Dietary levamisole modulates the immune response and disease resistance of Asian catfish *Clarias batrachus* (Linnaeus)
J Kumari and P K Sahoo
- 510 Effect of feeding frequency on growth, survival and feed utilization in fingerlings of *Catla catla* (Hamilton), *Labeo rohita* (Hamilton) and *Cirrhinus mrigala* (Hamilton) in outdoor rearing systems
G Biswas, J Krishna Jena, S Kumar Singh and H Krishna Muduli
- 515 Experimental evaluation of co-culture of juvenile sea cucumbers, *Holothuria scabra* (Jaeger), with juvenile blue shrimp, *Litopenaeus stylirostris* (Stimpson)
S W Purcell, J Patrois and N Fraisse
- 523 Spermatophore cryopreservation and artificial insemination of black tiger shrimp, *Penaeus monodon* (Fabricius)
A N Bart, S Choosuk and D P Thakur
- 529 Sex organ extracts and artificial hormonal compounds as sex pheromones to attract broodfish and to induce spawning of Chinese black sleeper (*Bostrichthys sinensis* Lacépède)
W-S Hong, S-X Chen, Q-Y Zhang and W-Y Zheng

Short communications

- 535 Effects of starvation and re-alimentation periods on growth performance and hyperphagic response of *Sparus aurata*
E Orhan Tufan, K Metin and S Banş
- 538 Studies on the recently discovered crayfish, *Austropotamobius torrentium* (Shrank, 1803), in Turkey: morphological analysis and meat yield
M Mustafa Harlıyoğlu and U Güner

Volume 37, Number 6, 20 April 2006

Original articles

- 543 Swim-up fry production in the African Catfish *Clarias gariepinus* (Burchell) broodstocks fed with differently heated soybean-based diets
A A Adewumi, V F Olaleye and E A Adesulu
- 550 Feeding and growth in captivity of the octopus *Enteroctopus megalocyathus* Gould, 1852
M C Pérez, D A López, K Aguila and M Luisa González
- 556 Polymorphic analysis of microsatellite DNA in wild populations of Chinese shrimp (*Fenneropenaeus chinensis*)
P Liu, X Hong Meng, J Kong, Y Ying He and Q Yin Wang
- 563 Genetic diversity in a Tasmanian hatchery population of Atlantic salmon (*Salmo salar* L.) compared with its Canadian progenitor population
B H Innes and N G Elliott
- 570 Modification of tissue fatty acid composition in Murray cod (*Maccullochella peelii peelii*, Mitchell) resulting from a shift from vegetable oil diets to a fish oil diet
G M Turchini, D S Francis and S S De Silva
- 586 Feeding rhythm and growth of the tongue sole, *Cynoglossus semilaevis* Günther, during its early life stages
M Ai-Jun, L Xue-Zhou, X Yong-Jiang, L You and Z Zhi-Meng
- 594 Influence of pond fertilization and feeding rate on growth performance, economic returns and water quality in a small-scale cage-cum-pond integrated system for production of Nile tilapia (*Oreochromis niloticus* L.)
H Waidbacher, D M Liti, M Fungomeli, R K Mbaluka, J M Munguti and M Straif
- 601 Intensity and profitability of *Clarias gariepinus* nursing systems in periurban Yaoundé, Cameroon
S Yong Sulem and R E Brummett
- 606 Effect of dietary echium oil on growth, fatty acid composition and metabolism, gill prostaglandin production and macrophage activity in Atlantic cod (*Gadus morhua* L.)
J Gordon Bell, F Strachan, J E Good and D R Tocher
- 618 Pilot study on polyculture of juveniles spotted babylon, *Babylonia areolata*, with milkfish, *Chanos chanos*, to marketable sizes using large-scale operation of earthen ponds in Thailand
S Kritsanapuntu, N Chaitanawisuti, W Santhaweesuk and Y Natsukari
- 625 Influence of storage conditions on viability of quiescent copepod eggs (*Acartia tonsa* Dana): effects of temperature, salinity and anoxia
M Holmstrup, J Overgaard, T F Sørensen, G Drillet, B W Hansen, H Ramløv and K Engell-Sørensen
- 632 Effects of four egg desticking procedures on hatching rate and further survival and growth of larvae in the tench (*Tinca tinca* L.)
J M Carral, J D Celada, M Sáez-Royuela, R Rodríguez, A Aguilera and P Melendre
- 637 Genetic variation of body size, condition and pyloric caeca number in juvenile brown trout, *Salmo trutta* L.
J M Blanc and H Poisson

Short communications

- 643 Growth and survival of tongue sole (*Cynoglossus semilaevis* Günther, 1873) larvae fed a compound diet with different protein sources
Q Chang, M Liang, J Wang, S Chen, X Zhang and X Liu
- 647 Endocytosis of indigenous bacteria and cell damage caused by *Vibrio anguillarum* in the foregut and hindgut of spotted wolffish (*Anarhichas minor* Olafsen) fry: an electron microscopical study
E Ringo, H Mikkelsen, T Kaino, R Erik Olsen, T M Mayhew and R Myklebust

Book Review

- 652 Fish Genetics and Aquaculture Biotechnology
M S Powell
- 654 Erratum

Volume 37, Number 7, 12 May 2006

Original articles

- 655 Shape ontogeny and variation in the sharpsnout seabream, *Diplodus puntazzo* (Cetti 1777)
S Kouttoui, E Georgakopoulou, P Kaspiris, P Divanach and G Koumoundouros
- 664 Combined effects of water exchange regimes and calcium carbonate additions on growth and survival of hatchery-reared juvenile spotted babylon (*Babylonia areolata* Link 1807) in recirculating grow-out system
S Kritsanapuntu, N Chaitanawisuti, W Santhaweesuk and S Y Natsukari
- 671 Molecular systematics of bisexual *Artemia* populations
L Hou, X Bi, X Zou, C He, L Yang, R Qu and Z Liu
- 681 Effect of high dietary intakes of vitamin E and n-3 HUFA on immune responses and resistance to *Edwardsiella tarda* challenge in Japanese flounder (*Paralichthys olivaceus*, Temminck and Schlegel)
Z Wang, K Mai, Z Liufu, H Ma, W Xu, Q Ai, W Zhang, B Tan and X Wang
- 693 Evaluation of the progeny of third-generation Sydney rock oyster *Saccostrea glomerata* (Gould, 1850) breeding lines for resistance to QX disease *Marteilia sydneyi* and winter mortality *Bonamia roughleyi*
J A Nell and B Perkins
- 701 Genetic relationship between broodstocks of olive flounder, *Paralichthys olivaceus* (Temminck and Schlegel) using microsatellite markers
J-H Kang, J-K Noh, J-H Kim, J-H Lee, H-C Kim, K-K Kim, B-S Kim and W-J Lee
- 708 Growth of the abalone *Haliotis diversicolor* (Reeve) fed with macroalgae in floating net cage and plastic tank
L Alcantara and T Noro
- 718 Growth of triploid oyster, *Crassostrea madrasensis* (Preston)
J V Mallia, P Muthiah and P C Thomas
- 725 Growth and biometric relationships of the pearl oyster *Pinctada fucata* (Gould) on transplanting from the Gulf of Mannar to the Arabian Sea
K S Mohamed, V Kripa, T S Velayudhan and K K Appukuttan
- 742 Therapeutic and prophylactic immunization against *Streptococcus iniae* infection in hybrid striped bass (*Morone chrysops* × *Morone saxatilis*)
J J Evans, P H Klesius and C A Shoemaker

Volume 37, Number 8, 1 June 2006

Original articles

- 751 Spawning induction in Kutum *Rutilus frisii kutum* (Kamenskii, 1901) using carp pituitary extract or GnRH analogue combined with metoclopramide
S Dorafshan and F P Heyrati
- 756 Biochemical and technical observations supporting the use of copepods as live feed organisms in marine larviculture
G Drillet, N O G Jørgensen, T F Sørensen, H Ramlov and B W Hansen
- 773 The inclusion of plant protein in cod diets, its effects on macronutrient digestibility, gut and liver histology and heat shock protein transcription
A-C Hansen, G Rosenlund, Ø Karlsen, P A Olsvik and G-I Hemre
- 785 Genetic variation of wild and cultured populations of the Kuruma prawn *Marsupenaeus japonicus* (Bate 1888) using microsatellites
S Luan, J Kong and Q Y Wang
- 793 Use of biomass of the marine microalga *Isochrysis galbana* in the nutrition of goldfish (*Carassius auratus*) larvae as source of protein and vitamins
P Coutinho, P Rema, A Otero, O Pereira and J Fábregas
- 799 Field evaluation of live chilling with CO₂ on stunning Atlantic salmon (*Salmo salar*) and the subsequent effect on quality
B Roth, E Slinde and D H F Robb

- 805 Hypoxic conditions induce centrum defects in red sea bream *Pagrus major* (Temminck and Schlegel)
Y Sawada, M Hattori, N Sudo, K Kato, Y Takagi, K Ura, M Kurata, T Okada and H Kumai
- 813 Optimization by orthogonal array design and humoral immunity of the bivalent vaccine against *Aeromonas hydrophila* and *Vibrio fluvialis* infection in crucian carp (*Carassius auratus* L.)
A Li, W Yang, J Hu, W Wang, T Cai and J Wang
- 821 Effects of starvation on kidney melano-macrophage centre in olive flounder, *Paralichthys olivaceus* (Temminck and Schlegel)
J W Hur, S R Woo, J H Jo and I-S Park
- 826 Pharmacokinetics of oxolinic acid in black tiger shrimp, *Penaeus monodon* Fabricius, and the effect of cooking on residues
K Uno, T Aoki, W Kleechaya, L Ruangpan and V Tanasomwang
- 834 Effects of ascorbic acid enrichment by immersion of rainbow trout (*Oncorhynchus mykiss*, Walbaum 1792) eggs and embryos
B Falahatkar, K Dabrowski, M Arslan and J Rinchard

Short communication

- 842 Density-dependent mortality of the scallop *Chlamys farreri* (Jones & Preston) in grow-out culture
X Zhang, M Zhu, R Li, Z Wang, B Xia and L Zhang
- 845 Erratum

Volume 37, Number 9, 22 June 2006

Original articles

- 847 Gustatory responses in Pacific bluefin tuna *Thunnus orientalis* (Temminck and Schlegel)
J Kohbara, T Miyazaki, K Takii, H Hosokawa, M Ukawa and H Kumai
- 855 Acute tolerance of juvenile Florida pompano, *Trachinotus carolinus* L., to ammonia and nitrite at various salinities
C R Weirich and M Riche
- 862 Effect of extender composition and freezing rate on post-thaw motility and fertility of Arctic char, *Salvelinus alpinus* (L.), spermatozoa
N Mansour, G F Richardson and M A McNiven
- 869 Effects of formalin on water quality and parasitic monogeneans on silver perch (*Bidyanus bidyanus* Mitchell) in earthen ponds
S J Rowland, M Nixon, M Landos, C Mifsud, P Read and P Boyd
- 877 Thermal preference and tolerance of green abalone *Haliotis fulgens* (Philippi, 1845) and pink abalone *Haliotis corrugata* (Gray, 1828)
F Diaz, A Denisse Re, Z Medina, G Re, G Valdez and F Valenzuela
- 885 Tagging of *Litopenaeus vannamei* (Boone) by uropod cutting: a comparison of two methods
E M Leño and I Chiu Liao
- 891 The effect of dietary inulin on aerobic bacteria associated with hindgut of Arctic charr (*Salvelinus alpinus* L.)
E Ringø, S Sperstad, R Myklebust, T M Mayhew and R E Olsen
- 898 Seasonal shift in spawning of Atlantic cod (*Gadus morhua* L.) by photoperiod manipulation: egg quality in relation to temperature and intensive larval rearing
T van der Meer and V P Ivannikov
- 914 Dietary composition manipulation to enhance the performance of juvenile barramundi (*Lates calcarifer* Bloch) reared in cool water
K C Williams, C G Barlow, L Rodgers and C Agcopra
- 928 A rapid bioassay for bactericides against the catfish pathogens *Edwardsiella ictaluri* and *Flavobacterium columnare*
K K Schrader and M D Harries
- 938 Effect of water exchange on effluent and sediment characteristics and on partial nitrogen budget in semi-intensive shrimp ponds in New Caledonia
H Lemonnier and S Faninoz
- 949 Economic analysis of monosex culture of giant freshwater prawn (*Macrobrachium rosenbergii* De Man): a case study
C Mohanakumaran Nair, K R Salin, M S Raju and M Sebastian

Short communication

- 955 Cryopreservation of black ear catfish, *Pangasius lamarudii*, (Bocourt) sperm
S Kwantong and A N Bart
- 958 Erratum

Volume 37, Number 10, 20 July 2006

Original articles

- 959 Haematological and biochemical profile of harvest-size carp during harvest and post-harvest storage
Z Svobodová, B Vykusová, H Modrá, J Jarkovský and M Smutná
- 966 Experimental co-culture of low food-chain organisms, *Sabella spallanzanii* (Polychaeta, Sabellidae) and *Cladophora prolifera* (Chlorophyta, Cladophorales), in Porto Cesareo area (Mediterranean Sea)
C Pierri, G Fanelli and A Giangrande
- 975 Investigation of the nutritional requirements of Australian snapper *Pagrus auratus* (Bloch and Schneider 1801): digestibility of gelatinized wheat starch and clearance of an intra-peritoneal injection of D-glucose
M A Booth, A J Anderson and G L Allan
- 986 Partial and complete replacement of fish meal by broad bean meal in feeds for Nile tilapia, *Oreochromis niloticus*, L., fry
M M Gaber
- 994 Optimization of stocking density of freshwater prawn *Macrobrachium rosenbergii* (de Man) in carp polyculture in Bangladesh
Md. A Hossain and M S Islam
- 1001 Daily activity pattern of the marine shrimp *Litopenaeus vannamei* (Boone 1931) juveniles under laboratory conditions
C S Pontes, M de Fatima Arruda, A A de Lara Menezes and P P de Lima
- 1007 Dietary protein, growth, nutrient utilization and body composition of juvenile blackspot seabream, *Pagellus bogaraveo* (Brunnich)
P Silva, C A P Andrade, V M F A Timóteo, E Rocha and L M P Valente
- 1015 Short- and long-term differences in growth, feed conversion efficiency and deformities in juvenile Atlantic cod (*Gadus morhua*) started on rotifers or zooplankton
A K Imsland, A Foss, R Koedijk, A Folkvord, S O Stefansson and T M Jonassen
- 1028 Microsatellite variability in natural populations of the blackspot seabream *Pagellus bogaraveo* (Brünnick, 1768): a database to access parentage assignment in aquaculture
A Lemos, A I Freitas, A T Fernandes, R Gonçalves, J Jesus, C Andrade and A Brehm
- 1034 Combined effects of salinity and potassium concentration on juvenile mullet (*Argyrosomus japonicus*, Temminck and Schlegel) in inland saline groundwater
M S Doroudi, D S Fielder, G L Allan and G K Webster
- 1040 Frequent monitoring of temperature: an essential requirement for site selection in bivalve aquaculture in tropical-temperate transition zones
M T Sicard, A N Maeda-Martínez, S E Lluch-Cota, C Lodeiros, L M Roldán-Carrillo and R Mendoza-Alfaro

Short communication

- 1050 Hermophradite thinlip mullet *Liza ramada* (Risso, 1810) (Teleostei: Mugilidae) from Homa Lagoon (Izmir Bay-Aegean Sea)
B Bayhan and D Acarli

Book review

- 1053 Introduction à L'aquaculture
M Verdegem

Volume 37, Number 11, 15 August 2006

Original articles

- 1055 Influence of fish size and water temperature on the metabolic demand for oxygen by barramundi, *Lates calcarifer* (Bloch), in freshwater
B D Glencross and M Felsing

- 1063 Effects of dietary squid viscera meal on growth and cadmium accumulation in tissues of Japanese seabass, *Lateolabrax japonicus* (Cuvier 1828)
K Mai, H Li, Q Ai, Q Duan, W Xu, C Zhang, L Zhang, B Tan and Z Liufu
- 1070 Biochemical responses of matrinxã *Brycon cephalus* (Günther, 1869) after sustained swimming
A Hackbarth and G Moraes
- 1079 Effect of sublethal toxicity of some pesticides on growth parameters, haematological properties and total production of Nile tilapia (*Oreochromis niloticus* L.) and water quality of ponds
M A Sweilum
- 1090 Effect of feeding level on growth and nutrient deposition in rainbow trout (*Oncorhynchus mykiss* Walbaum) growing from 150 to 600 g
D P Bureau, K Hua and C Y Cho
- 1099 Growth, feed conversion efficiency and growth heterogeneity in Atlantic halibut (*Hippoglossus hippoglossus*) reared at three different photoperiods
A K Imsland, A Foss, S O Stefansson, I Mayer, B Norberg, B Roth and M D Jenssen
- 1107 Rearing zebrafish (*Danio rerio*) larvae without live food: evaluation of a commercial, a practical and a purified starter diet on larval performance
A P Carvalho, L Araújo and M M Santos
- 1112 Prevalence and serotyping of *Listeria monocytogenes* in Portuguese live bivalve molluscs sampled in various steps along the sanitary control process
A L Pinto, P Teixeira, F Castilho, M T Felício, F Pombal and P A Gibbs
- 1117 Larval development in European hake (*Merluccius merluccius* L.) reared in a semi-intensive culture system
R M Bjelland and A B Skiftesvik
- 1130 Bacterial load reduction of live prey for fish larval feeding using Ox-Aquaculture®
G Giménez, F Padrós, A Roque, A Estévez and D Furones
- 1140 Embryonic and larval development of honeycomb grouper *Epinephelus merra* Bloch
I Jagadis, B Ignatius, D Kandasami and Md A Khan

Short communication

- 1146 Stability of some commonly measured blood-chemistry variables in juvenile salmonids exposed to a lethal dose of the anaesthetic MS-222
J L Congleton

Volume 37, Number 12, 1 September 2006

Original articles

- 1151 Genetic variability of *Channa punctatus* populations using randomly amplified polymorphic DNA
M Nagarajan, M A Haniffa, A Gopalakrishnan, V S Basheer and A Muneer
- 1156 Morphological development of post hatch larval goldlined seabream *Rhabdosargus sarba* (Forskål, 1775)
F S Ibrahim, K J Rana, J S Goddard and I S A Amri
- 1165 Improving growth performance and caudal fin stripe pattern in selected F₆–F₈ generations of GIFT Nile tilapia (*Oreochromis niloticus* L.) using mass selection
S-F Li, X-J He, G-C Hu, W-Q Cai, X-W Deng and P-Y Zhou
- 1172 Diel and ontogenetic body density change in Pacific bluefin tuna, *Thunnus orientalis* (Temminck and Schlegel), larvae
T Takashi, H Kohno, W Sakamoto, S Miyashita, O Murata and Y Sawada
- 1180 Larval metamorphosis and morphological characteristic analysis of triploid shrimp *Fenneropenaeus chinensis* (Osbeck, 1765)
F Li, C Zhang, K Yu, X Liu, X Zhang, L Zhou and J Xiang
- 1187 Cloning and characterization of tryptophan 2,3-dioxygenase gene of Zhikong scallop *Chlamys farreri* (Jones and Preston 1904)
X Hu, Z Bao, J Hu, M Shao, L Zhang, K Bi, A Zhan and X Huang
- 1195 Evaluation of a novel pentaplex microsatellite marker system for paternity studies in Atlantic cod (*Gadus morhua* L.)
M S Wesmajervi, J-I Westgaard and M Delghandi

- 1202 Physical and chemical characteristics of sediments in catfish, freshwater prawn and carp ponds in Thailand
I Wudtisn and C E Boyd
- 1215 Evaluation of *Bacillus subtilis* as a probiotic to Indian major carp *Labeo rohita* (Ham.)
R Kumar, S C Mukherjee, K P Prasad and A K Pal
- 1222 Isolation and characterization of pathogenic *Vibrio alginolyticus* from diseased postlarval abalone, *Haliotis diversicolor supertexta* (Lischke)
J Cai, H Han, Z Song, C Li and J Zhou
- 1227 Use of marine yeasts as an available diet for mass cultures of *Moina macrocopa*
C-K Kang, H Y Park, M-C Kim and W J Lee
- 1238 Growth response and acquired resistance of Nile tilapia, *Oreochromis niloticus* (L.) that survived *Streptococcus iniae* infection
C A Shoemaker, C Lim, M Yildirim-Aksoy, T L Welker and P H Klesius
- 1246 Growth performance, morphometric traits and gonad development of induced reciprocal diploid and triploid hybrids between the mud loach (*Misgurnus mizolepis* Günther) and cyprinid loach (*Misgurnus anguillicaudatus* Cantor)
I-S Park, Y K Nam and D S Kim

Short communications

- 1254 Gross metabolic waste output estimates using a nutritional approach in Atlantic bluefin tuna (*Thunnus thynnus*) under intensive fattening conditions in western Mediterranean Sea
F Aguado-Giménez, B García-García, M D Hernández-Lorente and J Cerezo-Valverde
- 1259 Stimulation of ovarian development and spawning in the giant freshwater prawn, *Macrobrachium rosenbergii* (de Man)
S Tanboontek, P Damrongphol and W Poolsanguan
- 1262 Comparative oxygen tolerance of pikeperch *Sander lucioperca*, Volga pikeperch *S. volgensis* and their hybrids *S. lucioperca* × *S. volgensis*
T Müller, M Bódis and M Bercsényi
- 1265 Preliminary studies on bacterial diversity of cultured bluefin tuna *Thunnus thynnus* from the Adriatic Sea
D Kapetanović, B Kurtović, I Vardić, D Valić, Z Teskeredžić and E Teskeredžić

Volume 37, Number 13, 22 September 2006

Original articles

- 1267 Effect of varying dietary lipid and protein levels on growth and reproductive performance of female swordtails *Xiphophorus helleri* (Poeciliidae)
S Ling, R Hashim, S Kolkovski and A C Shu-Chien
- 1276 Efficacy of selection in sexually breeding *Artemia* (*Artemia franciscana*, Kellogg, 1906)
M M Shirdhankar, P C Thomas and S K Barve
- 1282 Whole-body corticosteroid and plasma cortisol concentrations in larval and juvenile Atlantic cod *Gadus morhua* L. following acute stress
W King V and D L Berlinsky
- 1290 Heat-shock protein70 gene expression in four hatchery Pacific Abalone *Haliotis discus hannai* Ino populations using for marker-assisted selection
P Cheng, X Liu, G Zhang and Y Deng
- 1297 The effects of densities and feed types on the production of *Macrobrachium rosenbergii* (de Man) in the rotational rice-prawn system
L M Lan, D N Long and J-C Micha
- 1305 Certain reproductive characteristics of the freshwater mussel *Unio terminalis delicatus* (Lea, 1863) in Gölbaşı Lake, Turkey
Ş Çek and H Şereflisan
- 1316 Effect of hypo- and hyper-saline conditions on osmolarity and fatty acid composition of juvenile shrimp *Litopenaeus vannamei* (Boone, 1931) fed low- and high-HUFA diets
M A Hurtado, I S Racotta, O Arjona, M Hernández-Rodríguez, E Goytortúa, R Civera and E Palacios
- 1327 Growth and oxygen consumption of the juvenile sea cucumber *Apostichopus japonicus* (Selenka) at constant and fluctuating water temperatures
Y Dong and S Dong

- 1334 Over-wintering growth of *Macrobrachium rosenbergii* (de Man) with carp polyculture in Bangladesh fed formulated diets
M A Hossain and A S M Kibria
- 1341 Karyological analysis of endangered Caspian salmon, *Salmo trutta caspius* (Kessler, 1877)
M R Kalbassi, S Dorafshan, T Tavakolian, M Khazab and H Abdolhay
- 1348 Nutritive value of partially dehulled and extruded sunflower meal for post-smolt Atlantic salmon (*Salmo salar* L.) in sea water
N Gill, D A Higgs, B J Skura, M Rowshandeli, B S Dosanjh, J Mann and A L Gannam
- 1360 Effect of using different types of organic animal manure on plankton abundance, and on growth and survival of *Tilapia rendalli* (Boulenger) in ponds
J Kang'ombe, J A Brown and L C Hallyard
- 1372 Growth performance and energetic metabolism of pacu, *Piaractus mesopotamicus* (Holmberg, 1887), fed diets supplemented with ammonium metavanadate
L S Takahashi, A P Baldan and E C Urbinati

Short communications

- 1378 Effect of thyroxine immersion on larval survival, growth and postlarvae production of freshwater prawn, *Macrobrachium rosenbergii* (de Man)
P Roustaiian and L A Gaik
- 1381 Effect of tank size on food intake and growth in individually held juvenile rainbow trout *Oncorhynchus mykiss* (Walbaum)
T Ranta and J Pirhonen

Volume 37, Number 14, 20 October 2006

Original articles

- 1387 Effects of water exchange and abiotic factors on zooplankton and epibenthic fauna in shrimp ponds
F E Coman, R M Connolly and N P Preston
- 1400 Isolation and culture of the marine rotifer, *Colurella dicentra* (Gosse, 1887), from a Mississippi Gulf Coast estuary
P Chigbu and V A Suchar
- 1406 Daily variation in short-term static toxicity of unionized ammonia in *Litopenaeus vannamei* (Boone) postlarvae
F M Barajas, R S Villegas, G P Clark, J G Mosqueda and B L Moreno
- 1413 Effect of different food items on the survival and growth of *Farfantepenaeus paulensis* (Pérez-Farfante 1967) postlarvae
R Soares, S Peixoto, W Wasielesky and F D'Incao
- 1419 Reducing aggression between freshwater crayfish (*Cherax destructor* Clark: Decapoda, Parastacidae) by increasing habitat complexity
H P Baird, B W Patullo and D L Macmillan
- 1429 *Panagrellus redivivus* mass produced on solid media as live food for *Litopenaeus vannamei* larvae
U Focken, C Schlechtriem, M von Wuthenau, A García-Ortega, A Puella-Cruz and K Becker
- 1437 Genetic variation of *Rutilus rutilus caspicus* (Jakowlew 1870) populations in Iran based on random amplified polymorphic DNA markers: a preliminary study
S Keyvanshokoh and M R Kalbassi
- 1441 Effects of temperature on growth of juvenile blackfoot abalone, *Haliotis iris* Gmelin
T Searle, R D Roberts and P M Lokman
- 1450 Cryopreservation of sea cucumber *Apostichopus japonicus* (Selenka) sperm
M Y Shao, Z F Zhang, L Yu, J J Hu, and K H Kang
- 1458 Light intensity effects on early life stages of black sea bass, *Centropristis striata* (Linnaeus 1758)
K A Copeland and W O Watanabe
- 1464 Sex differences in circulating steroid hormone levels in the red drum, *Sciaenops ocellatus* L.
W D Kucherka, P Thomas and I A Khan
- 1473 Effect of dietary probiotic Biogen[®] supplementation as a growth promoter on growth performance and feed utilization of Nile tilapia *Oreochromis niloticus* (L.)
E R EL-Haroun, A M A-S Goda and M A K Chowdhury
- 1481 Additive, dominance genetic effects for growth-related traits in common carp, *Cyprinus carpio* L.
C-H Wang, S-F Li, S-P Xiang, J Wang, Z-G Liu, Z-Y Pang, J-P Duan and Z-B Xu

- 1487 Quality improvement by feeding wild-caught edible crab (*Cancer pagurus* L.): a pilot study
A K Woll, G I van der Meeren and S Tuene
- 1497 Erratum

Volume 37, Number 15, 15 November 2006

Original articles

- 1499 Production and yield of *Penaeus semisulcatus* (de Haan) cultured at different densities
A A Al-Ameeri and E M Cruz
- 1507 Growth and performance of *Penaeus semisulcatus* (de Haan) fed with two commercial shrimp feeds
A A Al-Ameeri, E M Cruz and T Al-Sharrah
- 1516 Developing the harpacticoid copepod *Tisbe biminiensis* culture: testing for salinity tolerance, ration levels, presence of sediment and density dependent analyses
L P Souza-Santos, J M O Pastor, N G Ferreira, W M Costa, C M V Araújo-Castro and P J P Santos
- 1524 Survival, growth and biochemical parameters of silver catfish, *Rhamdia quelen* (Quoy & Gaimard, 1824), juveniles exposed to different dissolved oxygen levels
N Braun, R L de Lima, B Moraes, V L Loro and B Baldisserotto
- 1532 Optimum digestible protein and energy levels and ratio for greater amberjack *Seriola dumerili* (Risso) fingerling
F Takakuwa, H Fukada, H Hosokawa and T Masumoto
- 1540 Pharmacokinetics of chloramphenicol in carp (*Cyprinus carpio* L.) after drug administration
Z-Y Huang, M-Y Sun, S Li and G-L Huang
- 1546 Refined understanding of sulphur amino acid nutrition in hybrid striped bass, *Morone chrysops* ♀ × *M. saxatilis* ♂
M Kelly, B Grisdale-Helland, S J Helland and D M Gatlin III
- 1556 Effects of pre-rigor filleting on quality aspects of Atlantic cod (*Gadus morhua* L.)
S Kristoffersen, T Tobiassen, M Esaiassen, G B Olsson, L A Godvik, M A Seppola and R L Olsen
- 1565 Ontogenic development of the digestive enzymes in common pandora, *Pagellus erythrinus*, L. larvae
C Suzer, K Firat and Ş Saka
- 1572 Light intensity preference of juvenile pikeperch *Sander lucioperca* (L.)
A C Luchiani, F A de Moraes Freire, J Koskela and J Pirhonen
- 1578 A set of highly polymorphic microsatellites useful for kinship and population analysis in turbot (*Scophthalmus maximus* L.)
B G Pardo, M Hermida, C Fernández, C Bouza, M Pérez, A Llavona, L Sánchez and P Martínez
- 1583 Environmental sex determination, external sex differentiation and structure of the androgenic gland in the Pacific white shrimp *Litopenaeus vannamei* (Boone)
R Campos-Ramos, R Garza-Torres, D A Guerrero-Tortolero, A M Maeda-Martínez and H Obregón-Barboza

Short communications

- 1594 Growth and nutrient removal rates of *Spirulina platensis* and *Nostoc muscorum* in fish culture effluent: a laboratory-scale study
D Kamiliya, S Sarkar, T K Maiti, S Bandyopadhyay and B C Mal
- 1598 A simple PCR-RFLP method for the discrimination of native and introduced oyster species (*Crassostrea brasiliensis*, *C. rhizophorae* and *C. gigas*; Bivalvia: Ostreidae) cultured in Southern Brazil
M R Pie, R O Ribeiro, W A Boeger, A Ostrensky, R M Falleiros and L Angelo
- 1601 Paralarval rearing of the common octopus, *Octopus vulgaris* (Cuvier)
J F Carrasco, J C Arronte and C Rodríguez
- 1606 Diel fluctuation of soluble phosphorus in the tank water of rainbow trout, *Oncorhynchus mykiss* (Walbaum), and relationships with feed inputs and dissolved oxygen
G K Reid and R D Moccia

Volume 37, Number 16, 1 December 2006

Original articles

- 1611 Development of embryos in *Mastacembelus mastacembelus* (Bank & Solender, 1794) (Mesopotamian spiny eel) (Mastacembelidae)
E Şahinöz, Z Doğu and F Aral

- 1617 Assessment of impact of aquaculture on Kolleru Lake (India) using remote sensing and Geographical Information System
M Jayanthi, P N Rekha, N Kavitha and P Ravichandran
- 1627 Effect of salinity on carrying capacity of adult Nile tilapia *Oreochromis niloticus* L. in recirculating systems
M A Kabir Chowdhury, Y Yi, C K Lin and E R El-Haroun
- 1636 Characterization of haemocytes of the Indian edible oyster, *Crassostrea madrasensis* (Preston)
G Ittoop, K C George, N K Sanil, R M George, K S Sobhana and P C Nisha
- 1644 The effect of dietary krill supplementation on epithelium-associated bacteria in the hindgut of Atlantic salmon (*Salmo salar* L.): a microbial and electron microscopical study
E Ringø, S Sperstad, R Myklebust, T M Mayhew, A Mjelde, W Melle and R E Olsen
- 1654 Mono- and duoculture of juvenile sharpsnout seabream *Diplodus puntazzo* (Cetti) and gilthead seabream *Sparus aurata* L. in a recirculated water system
N Karakatsouli, P Papafotiou and S E Papoutsoglou
- 1662 Effect of *Artemia* enrichment on the growth and survival of Pacific bluefin tuna *Thunnus orientalis* (Temminck & Schlegel) larvae
A K Biswas, J Nozaki, M Kurata, K Takii, H Kumai and M Seoka
- 1671 Verification of ploidy level in sturgeon larvae
D Fopp-Bayat and P Woznicki
- 1676 Effect of Antarctic krillmeal on quality of farmed Atlantic cod (*Gadus morhua* L.)
Ø Karlsen, J Suontama and R E Olsen
- 1685 Effect of acclimation temperature on the acute stress response in juvenile Atlantic cod, *Gadus morhua* L., and haddock, *Melanogrammus aeglefinus* L.
W King V, L J Buckley and D L Berlinsky

Short communications

- 1694 *Scylla paramamosain* (Estampador) the most common mud crab (Genus *Scylla*) in China: evidence from mtDNA
L-B Ma, F-Y Zhang, C-Y Ma and Z-G Qiao
- 1699 Polymorphism of the lysyl oxidase gene in relation to muscle collagen cross-link concentration in Atlantic salmon
S Consuegra and I A Johnston
- 1703 Fertilization success and early survival in pure and hybrid larvae of *Mytilus edulis* (Linnaeus, 1758) and *M. trossulus* (Gould, 1850) from laboratory crosses
J E Toro, R J Thompson and D J Innes